


Las arcillas técnicas para la construcción incorporan diferentes granulometrías de arena y a menudo algún tipo de fibra natural para una óptima adhesión y solidez. Son resistentes al impacto y pueden quedar vistas. Las pinturas y arcillas decorativas, por su procedencia y mezcla de minerales, ofrecen una amplia gama de colores.

revoco base + fibra, grueso




mortero técnico con fibra natural | se aplica en capas de 10-25 mm | transmite y reparte el calor en instalaciones radiantes | si es visto, hay diferentes opciones de acabado, con la fibra remolineada o estirada

revoco base, fino



mortero sin fibra | tono tierra o blanco roto | se aplica con o sin malla en capas de 2-4 mm sobre revocos gruesos de arcilla o cualquier otro soporte | terminación base: con un remolineado en húmedo


pinturas o revocos decorativos




el revoco base se puede dejar visto como está o remolinearlo en seco para alisarlo y aclararlo un poco más | para otros colores: pinturas de arcilla o arcillas decorativa superfinas (en capas de unos 3 mm, son la opción más lujosa de los acabados | ver opciones > > >

Las arcillas base, con o sin fibra, de color tierra natural o también en un tono claro, se suelen remolinear en húmedo y opcionalmente en seco para ser vistas. Las pinturas de arcilla son la opción más sencilla de lucir otro color mientras las arcillas decorativas aportan una capa colorida de 2-4mm de grano superfino y son más exclusivas.


revoco base, visto - con o sin fibra



arcilla base con fibra,
remolineado en húmedo




arcilla base sin fibra,
remolineado en húmedo




arcilla base, remolineado en
húmedo y en seco

revoco base, con pintura de arcilla



pintura de tiza al rodillo,
sobre arcilla base




pintura de arcilla a la brocha,
sobre arcilla base



pintura de arcilla al rodillo,
sobre arcilla base

revoco decorativo 3mm



arcilla fina decorativa, sobre
arcilla base



arcilla fina decorativa, sobre
arcilla base



arcilla fina decorativa, sobre
arcilla base

La arcilla puede tener un acabado más rústico o muy moderno.
Su superficie será porosa, arenosa o superfina.
Pero siempre se percibe lo que es: un material naturalmente honesto, cálido y elegante.



YOSIMA Clay designer plaster


Coloured clay plaster for interiors YOSIMA clay design plaster is coloured wall surfacing material consisting of clay and earth. The clay is both a binder and a colouring agent in one, we do not add any extra pigments or artificial colours. YOSIMA is offered in 146 earth-colour tones. In addition, textural effects can be achieved with 6 different additives. YOSIMA surfaces are elegant, with brilliant, rich colours. Their calm and harmonious appearance can be enjoyed each and every day!



Item no.	Item description	Delivery form, product features
40. ...**	YOSIMA Clay designer plaster	500 kg big bag, 300 L plaster mortar, 150 m ² area at D=0.2 cm Price group 1: Base colours without textural additives (*20)
		20 kg bucket, 32/europallet, 12 L plaster mortar, 6 m ² area at D=0.2 cm Price group 1: Base colours without textural additives (*20)
		2.0 kg bag, 1.2 L plaster mortar, 0.6 m ² area at D=0.2 cm Price group 1: Base colours without textural additives
		500 kg big bag, 300 L plaster mortar, 150 m ² area at D=0.2 cm Price group 2: Mixed colours without textural additives (*20)
		20 kg bucket, 32/europallet, 12 L plaster mortar, 6 m ² area at D=0.2 cm Price group 2: Mixed colours without textural additives (*20)
		500 kg big bag, 300 L plaster mortar, 150 m ² area at D=0.2 cm Price group 3: Texture Red Stone/Straw/Japan/Herbs (*20)
		20 kg bucket, 32/europallet, 12 L plaster mortar, 6 m ² area at D=0.2 cm Price group 3: Texture Red Stone/Straw/Japan/Herbs (*20)
		500 kg big bag, 300 L plaster mortar, 150 m ² area at D=0.2 cm Price group 4 Texture Pearl (*20)
		20 kg bucket, 32/europallet, 12 L plaster mortar, 6 m ² area at D=0.2 cm Price group 4: Texture Pearl (*20)
		500 kg big bag, 300 L plaster mortar, 150 m ² area at D=0.2 cm Price group 5: Texture Flash (*20)
		20 kg bucket, 32/europallet, 12 L plaster mortar, 6 m ² area at D=0.2 cm Price group 5: Texture Flash (*20)

- Brilliant surface
- 146 natural colour tones
- 7 surface texture variants
- No pigments or artificial colours
- No yellowing or fading


Classic-colour palette



Basic colours/with white



Colour palette: Indian Red



Colour palette: Natural Umbra



Colour palette: Sahara Beige



Colour palette: Gold Ochre



Colour palette: Reed Yellow



Colour palette: Jade Green



Colour palette: Sienna Brown



**146 colour variants, 7 surface textures, for article numbers see the list YOSIMA ARTICLE plaster www.claytec.de/yosima/ARTIKELPutz.html - *Please refer to the instructions on page 28.

YOSIMA clay design plaster textural additives for individual addition


Item no.	Article description	Delivery form, product features
32.111.ST	Textural additive Straw	126 g bag, straw fibres for a 20 kg bucket (*12)
32.151.JA	Textural additive Japan	124 g bag, sisal fibres for a 20 kg bucket (*12)
32.171.HE	Textural additive Herbs	62 g bag, herb fibres for a 20 kg bucket (*12)
32.121.RS	Textural additive Red Stone	1,672 g bag, granite grains for a 20 kg bucket (*12)
32.141.PE	Textural additive Pearl	314 g bag, pearl grains for a 20 kg bucket (*12)
32.131.FL	Textural additive Flash	314 g bag, glitter grains for a 20 kg bucket (*12)

*Please refer to the notes on page 28.



YOSIMA colour clay surfacer

Colour clay smooth surfacer on clay topcoat plaster and other sufficiently smooth surfaces. YOSIMA colour clay surfacer is a smooth wall finishing which provides a modern and classy ambience. It can be sanded, is very smooth and is even water-repellent to a certain extent. Surfaces that are calm and homogeneous as well as lively and cloudy are all possible. When treated with wax, the colours become even deeper and more intense. YOSIMA colour clay surfacer is offered in 146 earth-coloured tones.




Item no.	Article description	Delivery form, product features
50. ... **	YOSIMA Colour clay surfacer	5 kg bucket, 33/europallet, 6 L filler, approx. 6.5m ² area with 2 coats (*22)
		1.0 kg bag, 1.2 L filler approx. 1.3 m ² area with 2 coats

- Smooth, refined, elegant
- Matt or glossy possible
- 146 YOSIMA colour shades

**146 colour variants, for article numbers see the list YOSIMA ARTICLE Filler,
www.claytec.de/yosima/ARTIKELPutz.html - *Please refer to the notes on page 28.

CLAYFIX Clay Paint

Clay coating materials without and with grain for interior surfaces. CLAYFIX clay direct clay colour provides an easily achievable clay finish. The coating is ecologically friendly, free of solvents and breathable. The dry matter is only mixed with water. The mixture can be applied to all paintable surfaces in a crosswise manner with a fine brush, broad brush or roller. CLAYFIX is offered in 146 earth colours analogous to YOSIMA colour palette, plus 2 structural additives.



Item no.	Article description	Delivery form, product features
19. ... **	CLAYFIX clay paint, 10 kg	32 buckets/europallet approx. 60 m ² area depending on substrate (*22)
	CLAYFIX clay paint, 1.5 kg	1.5 kg bag approx. 9 m ² area depending on substrate

- Affordable, simple and quick
- Smooth or grained possible
- The ecologically friendly coating
- 146 colour shades analog to YOSIMA
- 3 surface texture variants

**146 colour variants, 3 surface textures, for article numbers see the list CLAYFIX ARTICLES,
www.claytec.de/CLAYFIX/ARTIKEL.html - *Please refer to the notes on page 28.

CLAYFIX Clay Paint structural additives for single addition

Item no.	Article description	Delivery form, product features
32.200.FK	structural additives fine-grain	3.16 kg bag, marble sand 0 - 0.5mm for a 10 kg bucket (*12)
32.210.GK	structural additives coarse-grain	3.16 kg bag, marble sand 0 - 0.5mm for a 10 kg bucket (*12)

*Please refer to the notes on page 28.

Clay undercoat plaster with straw

Single or multilayer basecoat plaster for interior application. For 25 years now clay undercoat plaster with straw has been the classic for applying thick layers, e.g. on rough masonry, for wall space heaters or for restoration work in historical buildings. Up to 35 mm can be applied in a single operation. The material is highly workable, it sticks even above the head, and is suitable for gap filling and much more. Clay undercoat plaster with straw is also a substrate for all coarse and fine CLAYTEC clay topcoat plasters.

Dry mortar of all varieties never expires and can also be used with plastering machines.



Item no.	Article description	Delivery form, product features
05.001	Clay basecoat plaster with straw, NATURALLY MOIST 1.0t	DIN 18947, 1.0t big bag, sand 0-2mm, straw 30mm, 600L clay mortar, 40m ² area with D=1.5cm (*B)
05.201	Clay basecoat plaster w/ straw, NATURALLY MOIST SMALL	DIN 18947, 0.5t big bag, sand 0-2mm, straw 30mm, 300L clay mortar, 20m ² area with D=1.5cm (*B)
05.002	Clay basecoat plaster with straw, DRY in big bag	DIN 18947, 1.0t big bag, sand 0-2mm, straw 30mm, 625L clay mortar, 42m ² area with D=1.5cm (*21)
10.110	Clay basecoat plaster with straw, bagged goods	DIN 18947, 25 kg bag, 48/europallet, sand 0-2mm, straw 30mm, 16.7L clay mortar, 1.1m ² area with D=1.5cm (*C)

*Please refer to the notes on page 28.

- The clay basecoat classic
- Multi-functional
- Easiest to work with

Lightweight clay insulation plaster

Single or multilayer basecoat plaster for interior application. Why waste the space under your interior insulation panels? In comparison to normal clay plaster mortars, layers of clay insulating plaster markedly improve the transport of heat through the wall. Clay insulating plaster is also a problem solver for many other scenarios, e.g. for bay windows or minimal insulation only in certain areas. One can apply up to 35 mm in one operation. The plaster is suitable as a substrate for all coarse and fine CLAYTEC clay topcoat plasters.




Item no.	Article description	Delivery form, product features
05.036	Lightweight clay INSULATION PLASTER, NATURALLY MOIST 0.9t	0.9t big bag, pumice 0-5mm, plant fine fibres, straw, 675L clay mortar, 45m ² area with D=1.5cm (*B)
05.236	Lightweight clay INSULATION PLASTER, NATURALLY MOIST SMALL	0.45t big bag, pumice 0-5mm, plant fine fibres, straw, 340L clay mortar, 23m ² area with D=1.5cm (*B)

*Please refer to the notes on page 28.

- Lightweight and thermally insulating
- For patched minimal insulation
- As a substrate for interior insulation panels

Clay plaster Mineral 20

Single- or multi-layered basecoat and topcoat plaster for indoor use. Clay plaster Mineral is an basecoat and topcoat plaster in one product. It contains angular fractured sand to provide strength. After application, the mortar contracts quite quickly and be processed further after a short period of time. As a basecoat plaster it is suitable for all coarse and fine CLAYTEC topcoat plasters, e.g. YOSIMA. As a rough or even smooth topcoat plaster with a mineral, straw-free surface texture it can be applied using the CLAYFIX clay coating material system.



Item no.	Article description	Delivery form, product features
05.030	Mineral clay plaster 20 NATURALLY MOIST 1.0t	DIN 18947, 1.0t big bag, sand 0-2.8 mm, 500 L clay mortar, 50 m ² area with D=1.0 cm (*B)
05.230	Mineral clay plaster 20 NATURALLY MOIST SMALL	DIN 18947, 0.5t big bag, sand 0-2.8 mm, 250 L clay mortar, 25 m ² area with D=1.0 cm (*B)
05.032	Mineral clay plaster 20 DRY	1.0t big bag, sand 0-2.8 mm, 540 L clay mortar, 54 m ² area with D=1.0 cm (*21)
10.130	Mineral clay plaster 20 Bagged goods	25 kg bag, 48/europallet, sand 0-2.8 mm, 13,5 L clay mortar, 1,35 m ² area with D=1.0 cm (*C)

- Basecoat and topcoat plaster.
- Without organic components
- Dries quickly

*Please refer to the notes on page 28.

Clay plaster SanReMo

Single-layer basecoat and topcoat plaster for indoors, especially suitable for irregular surfaces encountered in renovation, restoration and modernisation work. Clay plaster SanReMo is a mortar for moderately thick application. It can be applied very thinly at 3 mm or quite thickly at 10 mm. Multi-layered application is also possible. The mortar also tolerates non-uniformly absorbent or only poorly absorbent plaster substrates. This is helped by the porous water-absorbent pumice component as well as the fine bamboo fibre component. The fibre is not visible on the surface. As a basecoat plaster, clay plaster SanReMo is suitable for all fine CLAYTEC clay topcoat plasters, e.g. YOSIMA. It can also be easily applied using the CLAYFIX clay coating material system.



Item no.	Article description	Delivery form, product features
05.810	Clay Plaster SanReMo DRY in big bag	DIN 18947, 800 kg big bag, sand/pumice 0-1.5 mm, 544 L clay mortar, 9 m ² area with D=0.6 cm (*21)
10.810	Clay Plaster SanReMo Bagged goods	DIN 18947, 2 kg bag, 48/europallet, sand/pumice 0-1.5 mm, 17 L clay mortar, 2.8 m ² area with D=0.6 cm (*C)

- Single coat on all substrates
- Basecoat and topcoat plaster, D 6 mm
- Also possible as thin and thick coats

*Please refer to the notes on page 28.

Clay topcoat plaster coarse with straw

Single-layer topcoat plaster for indoors. For use on clay basecoat plaster, sufficiently level masonry and other solid materials. The application thickness is between 5 mm and 10 mm. Clay topcoat with straw is a mortar for every surface texture, from rustic to smooth. The short straw pieces serve only a decorative purpose, leaving the plaster easily workable and smooth, even for novices. The plaster is painted with CLAYFIX clay paints. The dry mortar keeps indefinitely and can also be used with plastering machines.



Clay topcoat plaster coarse with straw, shown with Clayfix clay paint WE0

Item no.	Article description	Delivery form, product features
05.010	Clay topcoat plaster coarse with straw, NATURALLY MOIST 1.0t	DIN 18947, 1.0t big bag, sand 0-2mm, straw 10mm, 600L clay mortar, 60m ² area with D=1.0cm (*B)
05.210	Clay topcoat plaster coarse with straw, NATURALLY MOIST SMALL	DIN 18947, 0.5t big bag, sand 0-2mm, straw 10mm, 300L clay mortar, 30m ² area with D=1.0cm (*B)
05.012	Clay topcoat plaster coarse with straw, DRY in big bag	DIN 18947, 1.0t big bag, sand 0-2mm, straw 10mm, 625L clay mortar, 63m ² area with D=1.0cm (*21)
10.112	Clay topcoat plaster coarse with straw, Bagged goods	DIN 18947, 25kg bag, 48/europallet, sand 0-2mm, straw 10mm, 16.7L clay mortar, 1.7m ² area with D=1.0cm (*C)

*Please refer to the notes on page 28.

Clay topcoat plaster coarse light-coloured

Clay topcoat plaster coarse light-coloured is manufactured from a particularly light-coloured clay. If desired, you can leave this clay topcoat plaster as a finished surface in and of itself. We are happy to advise you on this. Otherwise, only a finishing coat is required.



Clay topcoat plaster coarse light-coloured shown applied directly to masonry

Item no.	Article description	Delivery form, product features
05.016	Clay topcoat plaster coarse light-coloured with straw, DRY in big bag	1.0t big bag, sand 0-2mm, straw 10mm, 600L clay mortar, 100m ² area with D=0.6cm (*21)
10.115	Clay topcoat plaster coarse light-coloured with straw, Bagged goods	25kg bag, 48/europallet, sand 0-2mm, straw 10mm, 15L clay mortar, 2.5m ² area with D=0.6cm (*C)

*Please refer to the notes on page 28.

Clay colour plaster coarse with straw

Single-layered, coloured topcoat plaster for indoors. The material is usually applied as a 7-10mm thick layer. It is also suitable for substrates that are too uneven for the application of a clay thin layer finish. The thick application also allows the formation of coarse-textured surfaces. Clay colour plaster coarse with straw is neither further coated nor painted. This does not just save on costs: In rooms the clay surface can be experienced purely and on a one-to-one basis, and in 36 colour variants.



Item no.	Article description	Delivery form, product features
05. ...**	Clay COLOUR PLASTER coarse, NATURALLY MOIST 1.0t	1.0t big bag, sand 0-2mm, straw 10mm, 600L clay mortar, 60m ² area with D=1.0cm (*B)
05. ...**	Clay COLOUR PLASTER coarse, NATURALLY MOIST SMALL	0.5t big bag, sand 0-2mm, straw 10mm, 300L clay mortar, 30m ² area with D=1.0cm (*B)

*Please refer to the notes on page 28. **36 variants, colours and article no. see on www.claytec.de

- Single-coat clay plaster requiring no further coating
- For creative coloured plaster surfaces